

Invitation for Tenders – BOATS – 指揮艇

Deadline for submission of Tender:	19/May/2017 17:00 at Tuen Mun Sports Association Kin Sang Community Hall, Leung Wan Street, Kin Sang Estate, Tuen Mun, N.T.
Means of submission of Tender:	By Hand of signed original official tender reply form (as attached) on or before deadline as stated above (For notification purpose : candidate can notify us by means of FAX to Tuen Mun Sports Association at 25431035 <u>OR</u> by e-mail to tmsa@hotmail.com)
Date for opening tender:	26/May/2017
Date of result announcement:	09/Jun/2017
For enquiry :	24531023 Miss Tse 96417484 Mr. Ko
Notes: 1. Effective date for the submitted tender offer should remain on or after 18/AUG/2017 2. Payment of the tendered item(s) will be in 2 phases, the 2 nd phase will be effected after Tuen Mun Sports Association has received the 1 st phase payment from "Sir David Trench Fund for Recreation".	

Item 1

救生橡皮艇(指揮艇)

ZODIAC SR 5.4

Sea Rider Rigid Hull Inflatable Boat

Navy gray tube: P/N Z85502

Shipment Term: CIF Hong Kong

complete with

1 x 70 hp YAHAMA Model: F70A Model code: 6CJ

70HP 4-Stroke Outboard engine with necessary engine configuration

Including all equipment such as:

BUOYANCY TUBE CONSTRUCTION (GLUED ON)

- . fabric : military grey, 1670 dtx, polyester, CSM / neoprene .
- . inflation valves : 5 .
- . lateral rubbing strake : 3 .
- . front rubbing strake, bow cross (vertical) : 1 .
- . exterior lifeline, on D-ring patches : 2 .
- . interior lifeline, on D-ring patches : 2

HULL CONSTRUCTION (MILITARY GREY) .

- . glass reinforced plastic, with grey gel-coat : yes
- . deck with all surface reinforcements : yes

TRANSOM

- . self-bailers, large flow, with scuppers : 2

TOWING and LIFTING

- bow towing bracket : 2
- transom towing, stainless steel U-bolt : 2
- bow lifting stainless steel bracket : 2
- transom lifting rings, stainless steel U-bolt : 2
- bow mooring eye, stainless steel U-bolt : 1

AND with basic spec. as following:

max. number of person	10
max. payload	920 kg
overall length	5,51 m (18' 1")
Inside length	3.9 m (12' 8")
overall width	2,03 m (6' 6")
Inside width	1.09 m (3' 6")
weight empty	320 kg (705 lb)
shaft lenght	long – 20"
max. power	1 x 70 hp
max. engine weight	1 x 155 kg
fabric	1670 dtx CSM / neoprene

Other Equipment required:

1. Lifting sling
2. Stand-up console
3. Jockey seat with fuel tank (2 persons)
4. Jockey seat handle
5. Steering box for jockey seat
6. Foot straps
7. Rotomolded fuel tank 90 L (23, 7 USG)
8. Aft Frame configuration with necessary night lamps for night trip use
9. foot pump : 1
10. repair kit : 1
11. paddles (aluminium shaft, plastic blade) : 2
12. handbook : 1

Quantity: **1 (One) unit**

交貨地點: 屯門青山灣