

## Invitation for Tenders – BOATS – 指揮艇

|   |  |
|---|--|
| Deadline for submission of Tender:  | 19/May/2017 17:00 at<br>Tuen Mun Sports Association<br>Kin Sang Community Hall,<br>Leung Wan Street, Kin Sang Estate,<br>Tuen Mun, N.T.  |
| Means of submission of Tender:  | <b>By Hand</b> of signed original official tender reply form (as attached) on or before deadline as stated above<br><br>(For notification purpose : candidate can notify us by means of FAX to Tuen Mun Sports Association at 25431035<br><br><u>OR</u><br>by e-mail to <a href="mailto:tmsa@hotmail.com">tmsa@hotmail.com</a> ) |
| Date for opening tender:  | 26/May/2017  |
| Date of result announcement:  | 09/Jun/2017  |
| For enquiry :   | 24531023 Miss Tse<br>96417484 Mr. Ko   |
| <b>Notes:</b><br>1. Effective date for the submitted tender offer should remain on or after 18/AUG/2017<br>2. Payment of the tendered item(s) will be in 2 phases, the 2 <sup>nd</sup> phase will be effected after Tuen Mun Sports Association has received the 1 <sup>st</sup> phase payment from "Sir David Trench Fund for Recreation". |  |

### Item 1

救生橡皮艇(指揮艇)

ZODIAC SR 5.4

Sea Rider Rigid Hull Inflatable Boat

Navy gray tube: P/N Z85502

Shipment Term: CIF Hong Kong

complete with

1 x 70 hp YAHAMA Model: F70A Model code: 6CJ

70HP 4-Stroke Outboard engine with necessary engine configuration

Including all equipment such as:

*BUOYANCY TUBE CONSTRUCTION (GLUED ON)*

- . fabric : military grey, 1670 dtx, polyester, CSM / neoprene .
- . inflation valves : 5 .
- . lateral rubbing strake : 3 .
- . front rubbing strake, bow cross (vertical) : 1 .
- . exterior lifeline, on D-ring patches : 2 .
- . interior lifeline, on D-ring patches : 2

*HULL CONSTRUCTION (MILITARY GREY) .*

- . glass reinforced plastic, with grey gel-coat : yes
- . deck with all surface reinforcements : yes

*TRANSOM*

- . self-bailers, large flow, with scuppers : 2

*TOWING and LIFTING*

- bow towing bracket : 2
- transom towing, stainless steel U-bolt : 2
- bow lifting stainless steel bracket : 2
- transom lifting rings, stainless steel U-bolt : 2
- bow mooring eye, stainless steel U-bolt : 1

**AND** with basic spec. as following:

|                              |                            |
|------------------------------|----------------------------|
| <b>max. number of person</b> | 10                         |
| <b>max. payload</b>          | 920 kg                     |
| <b>overall length</b>        | 5,51 m (18' 1")            |
| <b>Inside length</b>         | 3.9 m (12' 8")             |
| <b>overall width</b>         | 2,03 m (6' 6")             |
| <b>Inside width</b>          | 1.09 m (3' 6")             |
| <b>weight empty</b>          | 320 kg (705 lb)            |
| <b>shaft lenght</b>          | long – 20"                 |
| <b>max. power</b>            | 1 x 70 hp                  |
| <b>max. engine weight</b>    | 1 x 155 kg                 |
| <b>fabric</b>                | 1670 dtx<br>CSM / neoprene |

Other Equipment required:

1. Lifting sling
2. Stand-up console
3. Jockey seat with fuel tank (2 persons)
4. Jockey seat handle
5. Steering box for jockey seat
6. Foot straps
7. Rotomolded fuel tank 90 L (23, 7 USG)
8. Aft Frame configuration with necessary night lamps for night trip use
9. foot pump : 1
10. repair kit : 1
11. paddles (aluminium shaft, plastic blade) : 2
12. handbook : 1

Quantity: **1 (One) unit**

交貨地點: 屯門青山灣